



Innovive®
Disposable Rodent Caging System
Product Specifications

Product Name	Modification	Specifications
Innorack® IVC Mouse	1 module/56 cages	69.3W x 31.9D x 32.2H / 400 lbs
	2 modules/112 cages	69.3W x 31.9D x 56.2H / 525 lbs
	3 module/168 cages	69.3W x 31.9D x 80.2H / 650 lbs
Innorack® IVC Rat	1 module/20 cages	69.4W x 35.6D x 25.7H / 315 lbs
	2 modules/40 cages	69.4W x 35.6D x 43.2H / 410 lbs
	3 modules/60 cages	69.4W x 35.6D x 59.7H / 505 lbs
	4 module/80 cages	69.4W x 35.6D x 76.2H / 600 lbs
Innoslim® IVC Mouse	32 cages	32L x 34D x 75H / 250 lbs
Innowall® IVC Mouse	1 module/28 cages	69.3W x 17.3D x 32.2H / 350 lbs
	2 modules/56 cages	69.3W X 17.3D x 56.2H / 425 lbs
	3 module/84 cages	69.3W x 17.3D x 80.2H / 500 lbs
<p>NOTE: add 11” to all heights for Innorack® Mouse blowers add 13” for Innorack® Rat blowers</p>		
MECHANICAL:		
1-module rack NR-1:	15 CFM @ .3in-H2O	
2-module rack NR-2:	25 CFM @ .3in-H2O	
3-module rack NR-3:	40 CFM @ .3in-H2O	



ELECTRICAL:

CABLES	DB-25 cable DB-15 cable included 100-240 VAC power cords
BLOWERS	Supply: 100-240 VAC, Rated input current 1.0/0.5A Exhaust: 100-240 VAC, Rated input current 1.0/0.5A
Full Load AMPs (FLA):	1.7A at 120 VAC (US and Canada) 0.85A at 240VAC (EU) 2A at 100VAC (Japan)

MATERIALS:

Module:	304 Stainless Steel (passivated)
Module Intervals:	high temperature Nylon (glass reinforced) and Silicone
Shelves and Plenum:	304 Stainless Steel (passivated)
Shelves Tubing:	high purity silicone
Side Pieces:	Powder Coated Aluminum
Shelves parts Plastic:	high temperature Nylon (glass reinforced)
Blower Panels:	304 Stainless Steel (passivated)
Blower plastic parts:	ABS
Controller:	ABS

INNOVIVE INC.
8262 Clairemont Mesa Blvd., Ste 202
San Diego, CA 92111

www.disposablecages.com

866.43.CAGES



EXHAUST HVAC flow requirements for Innorack® Mouse:

3-module rack NR-3:	40 CFM @ .3in-H2O
2-module rack NR-3:	25 CFM @ .3in-H2O
1-module rack NR-3:	15 CFM @ .3in-H2O

EXHAUST HVAC flow requirements for Innorack® Rat

4-module rack SR-4:	130 CFM @ .3in-H2O
3-module rack SR-4:	100 CFM @ .3in-H2O
2-module rack SR-4:	100 CFM @ .3in-H2O
1-module rack SR-4:	35 CFM @ .3in-H2O

INNOVIVE INC.
8262 Clairemont Mesa Blvd., Ste 202
San Diego, CA 92111

www.disposablecages.com

866.43.CAGES